Cumulative Author-Title Index

For: Vol. 1, Nos. 1, 2, 3, 4 (1979-1980)
Vol. 2, Nos. 1, 2, 3, 4 (1980-1981)
Vol. 3, Nos. 1, 2, 3, 4 (1981-1982)
Vol. 4, Nos. 1, 2, 3, 4 (1982-1983)

Abrasive Wear in Multiphase Microstructures: Kosel, T. H., and Fiore, N. F. ... 3(2) 7–27
Advanced Rotor Materials and Manufacturing Techniques for the Superconducting Generator: Edmonds, J. S., and Hooper, G. D. ... 4(3) 154–159
Agrawal, A. K.: Prevention of Corrosion-Related Failures in Condensers and Feedwater Heaters ... 4(3) 168–181
Akhtar, A.: Cavitation Erosion of Hydraulic Turbine Steels Containing 0.2 pct Carbon and 1 pct Mn ... 4(1) 58–63
Akhtar, A.: Thermomechanical Processing of Hydro-Turbine Steels ... 2(3) 25–32
Alkali Attack on a Mullite Refractory in the Grand Forks Energy Technology Center Slagging Gasifier: Kennedy, C.R. ... 3(1) 27–31
Alloy Selection for Sulfidation-Oxidation Resistance in Coal Gasification Environments: Bradshaw, R. W., and Stoltz, R. E. ... 2(1) 3–11
Analysis and Verification of Fracture Mechanics Criteria for a Large Monobloc High Pressure Vessel: Bishop, R. J., Khare, A. K., and Mraz, G. J. ... 4(2) 92–98
Analysis of Residual Stresses in Girth Welded Type 304 Stainless Steel Pipes: Brust, F. W., and Kanninen, M. F. ... 3(3) 56–62
Anderson, T. L.: The Corrosion Susceptibility of 2¼ Cr-1 Mo Steel in a Lithium-17.6 Wt Pct Lead Liquid ... 2(4) 16–25
Aoki, M.: Fracture Toughness of Turbine Rotor Materials and Validity Criterion for K_{IC} ... 3(3) 20–25

Bagnall, C.: Chemistry Control by Trapping in a Liquid Lithium System ... 2(4) 37–43
Bagnall, C.: Erosive Effects in Liquid Lithium ... 4(2) 69–77
Bandyopadhyay, G.: Thermal-Shock Damage of Refractories for Application in Slagging Coal Gasifiers ... 4(4) 234–239
Bates, C. E.: Ignition and Combustion of Ferrous Metals in High Pressure, High Velocity, Gaseous Oxygen ... 1(1) 61–76
Bates, J. F.: Effects of Composition on the In-Reactor Creep of AISI 316 ... 1(4) 42–46
Baylor, V. B.: Control of Corrosion in Coal Liquification Plant Fractionation Columns ... 3(3) 48–55
Baylor, V. B.: Corrosion and Stress Corrosion Cracking in Coal Liquefication Processes ... 2(1) 28–33
Beavers, J. A.: Prevention of Corrosion-Related Failures in Condensers and Feedwater Heaters ... 4(3) 168–181
Bell, J. T.: Tritium Permeation Through Clean Construction Alloys ... 1(3) 55–59
Bell, J. T.: Tritium Permeability of Nickel Plated Stainless Steel 21-6-9 and of Gold Plated Aluminum ... 4(4) 217–221
Bernauer, O.: Use of Hydrides in Motor Vehicles ... 2(2) 3–10
Berry, W. E.: Prevention of Corrosion-Related Failures in Condensers and Feedwater Heaters ... 4(3) 168–181
Bhattacharyya, S.: High Pressure/High Temperature Hydrogen Permeability in Candidate Stirling Engine Alloys ... 3(4) 12–21
Bishop, R. J.: Analysis and Verification of Fracture Mechanics Criteria for a Large Monobloc High Pressure Vessel ... 4(2) 92–98
Bittner, H. F.: Tritium Permeation Through Clean Construction Alloys ... 1(3) 55–59
Bradshaw, R. W.: Alloy Selection for Sulfidation-Oxidation Resistance in Coal Gasification Environments ... 2(1) 3–11
Bradshaw, R. W.: Protective Coatings for Alloys in Contact with Molten Drawsalt ($NaNO_3$-KNO_3) ... 4(4) 229–233
Breyer, N. N.: Liquid Metal Embrittlement of 4145 Steel by Lead Alloys ... 2(4) 50–59
Brodie, N. W.: Thermomechanical Processing of Hydro-Turbine Steels ... 2(3) 25–32
Brown, C. W.: Infrared and Raman Spectroscopic Analysis of Corrosion Products on Metals Exposed to Hydrogen Sulfide at Elevated Temperatures ... 3(2) 66–75
Brust, F. W.: Analysis of Residual Stresses in Girth Welded Type 304 Stainless Steel Pipes ... 3(3) 56–62
Buchner, H.: Use of Hydrides in Motor Vehicles ... 2(2) 3–10
Burrow, G. C.: Chemistry Control by Trapping in a Liquid Lithium System ... 2(4) 37–43

Carling, R. W.: Protective Coatings for Alloys in Contact with Molten Drawsalt ($NaNO_3$-KNO_3) ... 4(4) 229–233
Carlton, H. E.: Observations of the Low-Temperature (400 to 910 °F) Corrosion/Erosion Behavior of Selected Alloys in an Atmospheric Pressure Fluidized-Bed Coal Combustor ... 2(3) 33–48
Carter, J. P.: Corrosion Tests in Brine and Steam From the Salton Seat Area ... 3(4) 30–38
Cavitation Erosion of Hydraulic Turbine Steels Containing 0.2 pct Carbon and 1 pct Mn: Akhtar, A., and Stowell, V. A. ... 4(1) 58–63
Ceramic Spring for High-Temperature Valves, A: Harper, C. R. ... 1(2) 62–67
Ceschini, L. J.: The Effect of Water and Hydrogen Gas Environments on Subcritical Crack Growth in Generator Rotor Steels ... 3(2) 42–53
Challenger, K. D.: Elevated Temperature Fatigue with Hold Time in a Low Alloy Steel: A Predictive Correlation ... 3(1) 54–61
Chang, K. M.: A New High Strength Steel for Generator Retaining Ring Application ... 3(2) 3–6
Characterization of Fracture Toughness of Two X-70 Pipeline Steels, The: Maiti, R., Nadeau, J. S., and Hawbolt, E. B. ... 2(1) 34–50

Chemical Degradation of Castable Refractories in Coal Gasification Process Environments: Robbins, C. R., and Mauer, F. A. ... 3(1) 32–42
Chemistry Control by Trapping in a Liquid Lithium System: Bagnall, C., Burrow, G. C., Down, M. G., and Kardos, Z. L. ... 2(4) 37–43
Chen, J.: Thermal-Shock Damage of Refractories for Application in Slagging Coal Gasifiers ... 4(4) 234–239
Chittim, K. J.: Metal Hydrides for Energy Storage ... 3(3) 3–19
Chittim, R. I.: Metal Hydrides for Energy Storage ... 3(3) 3–19
Clark, W. G.: The Effect of Water and Hydrogen Gas Environments on Subcritical Crack Growth in Generator Rotor Steels ... 3(2) 42–53
Clark, W. G., Jr.: Effect of Temperature and Pressure on Hydrogen Cracking in High Strength Type 4340 Steel ... 1(1) 33–40
Clough, S. P.: Surface Film Composition and Electrochemical Properties of Mo Bearing Ni-Cr-Fe and Fe-Ni-Cr Alloys ... 1(2) 55–61
Cold Cracking Susceptibility of Girth Welding for Arctic Grade Line Pipe: Ito, Y., Nakanishi, M., and Komizo, Y. ... 4(2) 110–113
Compatibility of Fe-Cr-Mo Alloys with Static Lithium: Tortorelli, P. F., Devan, J. H., and Yonco, R. M. ... 2(4) 5–15
Compatibility of Refractories With Simulated MHD Environment Consisting of a Molten-Coal-Slag/Alkali-Seed Mixture: Singh, R. N., and Kennedy, C. R. ... 3(4) 3–11
Compatibility of Stainless Steel with Pb-17 At. Pct Li: Tortorelli, P. F., and Devan, J. H. ... 4(2) 78–83
Compatibility of Water-Cooled Chromia-Containing Refractories with a High Iron Oxide Coal-Ash Slag at 1575 °C: Kennedy, C. R. ... 3(3) 39–47
Compatibility of Water-Cooled Refractories with a Basic Coal-Ash Slag at 1500°: Kennedy, C. R. ... 2(2) 11–20
Control of Corrosion in Coal Liquification Plant Fractionation Columns: Keiser, J. R., Judkins, R. R., Irvine, A. R., and Baylor, V. B. ... 3(3) 48–55
Controlling Corrosion Problems with the New High Technology Stainless Steels: Maurer, J. R. ... 1(1) 41–51
Cooke, R. J.: An Instrumented Impact Study of Acicular Ferrite Pipeline Steels ... 3(2) 28–41
Corrosion and Contaminant Control Concerns in Central Station Steam Supply Systems: Pocock, F. J. ... 1(2) 3–14
Corrosion and Hydriding Behavior of Zr-2.5 Wt. Pct Nb Alloy Nuclear Reactor Pressure Tubing: Northwood, D. O., and Kosasih, U. ... 4(1) 3–15
Corrosion and Stress Corrosion Cracking in Coal Liquefaction Processes: Baylor, V. B., and Keiser, J. R. ... 2(1) 12–27
Corrosion of Fe Alloys in $NaNO_3$-KNO_3 at 823 K: Kramer, C. M., Smyrl, W. H., and Estill, W. B. ... 1(4) 59–65
Corrosion Related Problems in Fossil Fired Boilers: Mayer, P., Westwood, H. J., and Manolescu, A. V. ... 2(1) 55–64
Corrosion Resistance of Superalloys in the Temperature Range 800–1300 °F(430-700 °C): Saegusa, F., and Shores, D. A. ... 4(1) 16–27
Corrosion Susceptibility of 2¼ Cr-1 Mo Steel in a Lithium-17.6 Wt Pct Lead Liquid, The: Anderson, T. L., and Edwards, G. R. ... 2(4) 16–25
Corrosion Testing of INCONEL® Alloy 690 for PWR Steam Generators: Crum, J. R., and Scarberry, R. C. ... 4(3) 125–130
Corrosion Tests in Brine and Steam from the Salton Sea Area: Carter, J. P., and McCawley, F. X. ... 3(4) 30–38
Creep and the Corrosion Characteristics of Incoloy Alloy 800 in Molten Nitrate Salts: Goods, S. H. ... 3(1) 43–53
Crowe, C. R.: Electrochemical Measurements on Lightweight Composite Nickel-Graphite Battery Electrodes ... 2(3) 66–71
Crum, J. R.: Corrosion Testing of INCONEL® Alloy 690 for PWR Steam Generators ... 4(3) 125–130

Da Silviera, T. L.: Design Parameters for High Temperature Creep and the Minimum-Commitment Method ... 2(2) 51–59
Daikoku, T.: Experience of High Chromium Ferritic Steel Tubes in Power Plant ... 4(2) 99–109
Day, D. E.: Properties of Refractories After Exposure to High Pressure Gases: IV—Dependence Upon CO/Steam Ratio ... 3(1) 8–18
Day, D. E.: Properties of Refractories After Exposure to High Pressure Gases: II—Effect of Exposure Time ... 1(4) 3–12
Day, D. E.: Properties of Refractories After Exposure to High Pressure Gases: III—Effect of Percent Saturation ... 2(3) 3–14
Day, D. E.: Properties of Refractories After Exposure to High Pressure Gases: V—Effect of Repeated Boehmite Formation and Decomposition ... 3(4) 22–29
Day, D. E.: Properties of Refractories After Exposure to High Pressure Gases: I—Survey of Commercial Products ... 1(3) 34–44
Day, D. E.: Properties of Refractories after Exposure to High Pressure Gases: VI — Vapor vs Liquid Contact ... 4(1) 48–57
De Angelis, R. J.: High Temperature Sulfidation of Six Alloys ... 1(2) 15–24
De Tourreil, C.: Description and Performance of High Voltage Synthetic Insulators ... 2(3) 58–65
Description and Performance of High Voltage Synthetic Insulators: De Tourreil, C. and Roberge, R. ... 2(3) 58–65
Design of Steels for Coal Gasification Pressure Vessels, The: Horn, R. M., Kar, R. J., Zackay, V. F., and Parker, E. R. ... 1(1) 77–92
Design Parameters for High Temperature Creep and the Minimum-Commitment Method: White, W. E., Le May, I., and Da Silviera, T. L. ... 2(2) 51–59
Devan, J. H.: Compatibility of Fe-Cr-Mo Alloys with Static Lithium ... 2(4) 5–15
Devan, J. H.: Compatibility of Stainless Steel with Pb-17 At. Pct Li ... 4(2) 78–83
Devan, J. H.: Formation of Iron Carbonyl Between a ½ Pct Mo Steel and High-Pressure Gases Containing Carbon Monoxide ... 1(1) 52–60
Dewsnap, R. F.: The Properties of a 0.45 Pct V Steel Pipe and the Effects of Some Variation in Composition ... 4(1) 38–47
Diercks, D. R.: Thermal-Shock Damage of Refractories for Application in Slagging Coal Gasifiers ... 4(4) 234–239
Dimascio, P. S.: A Prediction of Residual Stress in Heavy Plate Butt Welds ... 3(1) 62–64
Discharge and Corrosion Characteristics of Slagging Metal Electrodes for MHD Power Generators: Koester, J. K. and Perkins, R. A. ... 1(2) 41–54
Dodd, J.: Recent Developments in Abrasion Resistant High Chromium-Molybdenum Irons, Low-Alloy Manganese Steels and Alloyed Nodular Irons of Importance in the Exptraction and Utilization of Energy Resources ... 2(2) 65–76
Down, M. G.: Chemistry Control by Trapping in a Liquid Lithium System ... 2(4) 37–43
Down, M. G.: Erosive Effects in Liquid Lithium ... 4(2) 69–77

Edmonds, J. S.: Advanced Rotor Materials and Manufacturing Techniques for the Superconducting Generator ... 4(3) 154–159
Edwards, G. R.: The Corrosion Susceptibility of 2¼ Cr-1 Mo Steel in a Lithium-17.6 Wt Pct Lead Liquid ... 2(4) 16–25
Effect of Liquid Lithium on Fatigue Crack Propagation in 304L Stainless Steel at Elevated Temperatures, The: Olson, D. L. ... 2(4) 26–33
Effect of Temperature and Pressure on Hydrogen Cracking in High Strength Type 4340 Steel: Clark, W. G., Jr., ... 1(1) 33–40
Effect of Water and Hydrogen Gas Environments on Subcritical Crack Growth in Generator Rotor Steels, The: Clark, W. G., and Ceschini, L. J. ... 3(2) 42–53
Effects of Composition on the In-Reactor Creep of AISI 316: Bates, J. F., and Gilbert, E. R. ... 1(4) 42–46
Effect of Liquid Lithium on Fatigue Crack Propagation in 304L Stainless Steel at Elevated Temperatures, The: Hammon, D. L., Matlock, D. K., and Olson, D. L. ... 2(4) 26–33
Effects of Liquid Metal Embrittlement on High Temperature Fatigue of 2.25 Cr-1 Mo Steel in Liquid Lithium, The: Spencer, R. E., Matlock, D. K., and Olson, D. L. ... 4(4) 187–194
Effects of Surface Finishing on Stress Corrosion Cracking of Austenitic Stainless Steels in High Temperature Water: Kuniya, J., Masaoka, I., Ryoichi, S., and Kirihara, S. ... 1(4) 30–41
El-Dahshan, M. E.: The Simulating of Hot Corrosion Behaviour of Gas Turbine Materials by Laboratory Tests ... 2(3) 49–57
Electrochemical Measurements on Lightweight Composite Nickel-Graphite Battery Electrodes: Sutula, R. A. and Crowe, C. R. ... 2(3) 66–71
Elevated Temperature Fatigue with Hold Time in a Low Alloy Steel: A Predictive Correlation: Challenger, K. D., Miller, A. K. and Langdon, R. L. ... 3(1) 54–61
Erosive Effects in Liquid Lithium: Down, M. G., Keeton, A. R., Bagnall, C., and Tsu, T. C. ... 4(2) 69–77
Estill, W. B.: Corrosion of Fe Alloys in $NaNO_3$-KNO_3-$NaNO_2$ at 823 K ... 1(4) 59–65
Evaluation of Incoloy Alloy MA 956 for High Temperature Gas Cooled Reactor Systems, An: Floreen S., Kane, R. H., Kelly, T. J., and Robinson, M. L. ... 2(3) 15–24
Experience of High Chromium Ferritic Steel Tubes in Power Plant: Yukitoshi, T., Yoshikawa, K., Daikoku, T., and Masuyama, F. ... 4(2) 99–109

Fabis, Philip M.: Infrared and Raman Spectroscopic Analysis of Corrosion Products on Metals Exposed to Hydrogen Sulfide at Elevated Temperatures ... 3(2) 66–75
Fahr, A.: Properties of Refractories After Exposure to High Pressure Gases: VI — Vapor vs Liquid Contact ... 4(1) 48–57
Fakhr, A.: Properties of Refractories After Exposure to High Pressure Gases: IV—Dependence Upon CO/Steam Ratio ... 3(1) 8–18
Fakhr, A.: Properties of Refractories After Exposure to High Pressure Gases: III—Effect of Percent Saturation ... 2(3) 3–14
Feldman, D.: Selection of Materials for Flat Plate Solor Collectors ... 2(1) 65–82
Fiore, N. F.: Abrasive Wear in Multiphase Microstructures ... 3(2) 7–27
Flaw Tolerance of Elevated Temperature Components Designed to ASME Code Case 1592: Part I—Sustained Loading: Shih, T. T. ... 1(3) 45–54
Floreen S.: An Evaluation of Incoloy Alloy MA 956 for High Temperature Gas Cooled Reactor Systems ... 2(3) 15–24
Formation of Iron Carbonyl Between a ½ Pct Mo Steel and High-Pressure Gases Containing Carbon Monoxide: Inouye, H. and De Van, J. H. ... 1(1) 52–60
Fox, M.: An Overview of Intergranular Stress Corrosion Cracking in BWRs ... 1(3) 3–13
Fracture Toughness of Turbine Rotor Materials and Validity Criterion for K_{IC}: Ikeda, K., Aoki, M., Kiuchi, A., Suzuki, A., and Kikuchi, H. ... 3(3) 20–25
Friske, W. H.: Shot Peening to Prevent the Corrosion Cracking of Austenitic Stainless Steels ... 1(1) 20–32
Fujikawa, H.: Selection of Stainless Steel Tubes to Minimize Hot Corrosion in Utility Boilers ... 4(3) 160–167

Gadgeel, V.: Gas-Phase Hydrogen Permeation and Diffusion in Carbon Steels as a Function of Carbon Content from 500 to 900 K ..... *1*(2) 32–40
Gas-Phase Hydrogen Permeation and Diffusion in Carbon Steels as a Function of Carbon Content from 500 to 900 K: Gadgeel, V. and Johnson, D. L. ..... *1*(2) 32–40
Gedwill, M. A.: Thermal Barrier Coatings: Burner Rig Hot Corrosion Test Results ..... *1*(4) 47–58
Gibson, J. N.: Use of Type 439L Stainless Steel Tubing in Moisture Separator/Reheaters ..... *4*(3) 135–141
Gilbert, E. R.: Effects of Composition on the In-Reactor Creep of AISI 316 ..... *1*(4) 42–46
Gillis, P. P.: High Temperature Sulfidation of Six Alloys ..... *1*(2) 15–24
Gilroy-Scott, A.: Requirements for Control of Ductile Fracture Propagation in Large-Diameter Gas Transmission Pipelines .. *2*(2) 30–40
Golovanenko, S. A.: Steels for the Gas and Oil Industry ..... *1*(4) 66–78
Goods, S. H.: Creep and the Corrosion Characteristics of Incoloy Alloy 800 in Molten Nitrate Salts ..... *3*(1) 43–53
Griffith, J. L.: Mechanical Properties of a 2 ¼ Cr-1 Mo Steel Tubesheet Forging ..... *3*(3) 26–38

Hammon, D. L.: The Effect of Liquid Lithium on Fatigue Crack Propagation in 304L Stainless Steel at Elevated Temperatures ..... *2*(4) 26–33
Harper, C. R.: A Ceramic Spring for High-Temperature Valves .... *1*(2) 62–67
Harsolia, A.: Liquid Metal Embrittlement of 4145 Steel by Lead Alloys ..... *2*(4) 50–59
Hawbolt, E. B.: The Characterization of Fracture Toughness of Two X-70 Pipeline Steels ..... *2*(1) 34–50
Hawbolt, E. B.: An Instrumented Impact Study of Acicular Ferrite Pipeline Steels ..... *3*(2) 28–41
Hawbolt, E. B.: A Strain Age Study of Acicular Ferrite X-70 Pipeline Steels ..... *1*(2) 35–31
Hebsur, M. G.: Recent Attempts of Improving the Mechanical Properties of AISI 4340 Steel by Control of Microstructure—A Brief Review ..... *4*(1) 28–37
Heidersbach, Robert H.: Infrared and Raman Spectroscopic Analysis of Corrosion Products on Metals Exposed to Hydrogen Sulfide at Elevated Temperatures ..... *3*(2) 66–75
Herring, R. A.: Irradiation Growth of Zirconium Alloy Nuclear Reactor Structural Components ..... *4*(4) 195–216
High Pressure/High Temperature Hydrogen Permeability in Candidate Stirling Engine Alloys: Bhattacharyya, S., Vesely, E. J., Jr., and Hill, V. L. ..... *3*(4) 12–21
High Temperature Sulfidation of Six Alloys: Hsu, C. H., Gillis, P. P., and De Angelis, R. J. ..... *1*(2) 15–24
Hill, V. L.: High Pressure/High Temperature Hydrogen Permeability in Candidate Stirling Engine Alloys ..... *3*(4) 12–21
Hodge, P. E.: Thermal Barrier Coatings: Burner Rig Hot Corrosion Test Results ..... *1*(4) 47–58
Hooper, G. D.: Advanced Rotor Materials and Manufacturing Techniques for the Superconducting Generator ..... *4*(3) 154–159
Horn, R. M.: The Design of Steels for Coal Gasification Pressure Vessels ..... *1*(1) 77–92
Hsu, C. H.: High Temperature Sulfidation of Six Alloys ..... *1*(2) 15–24
Hydrogen Storage Characteristics of $Zr(B_xB'_{1-x})_2$, B = Fe, Co, B' = Cr, Mn, and x = 0.4, 0.5, 0.6: Ivey, D. G., and Northwood, D. O. ..... *4*(4) 222–228

Ignition and Combustion of Ferrous Metals in High Pressure, High Velocity, Gaseous Oxygen: Bates, C. E., Wren, J. E., Monroe, R., and Pears, C. D. ..... *1*(1) 61–76
Ikeda, K.: Fracture Toughness of Turbine Rotor Materials and Validity Criterion for K_{IC} ..... *3*(3) 20–25
Index ..... *3*(4) 51–54
Index ..... *4*(4) 241–244
Influence of Corrosion and Fouling on Steam Condenser Performance, The: Michels, H. T., Kirk, W. W., and Tuthill, A. H. ..... *1*(3) 14–33
Influence of Long-Time Stress Relief Treatments on the Dynamic Fracture Toughness Properties of ASME SA508 C1 2a and ASME SA533 Cr B C1 2 Pressure Vessel Steels, The: Logsdon, W. A. ..... *3*(4) 39–50
Infrared and Raman Spectroscopic Analysis of Corrosion Products on Metals Exposed to Hydrogen Sulfide at Elevated Temperatures: Fabis, Philip M., Brown, Chris W., Rockett, Thomas, and Heidersbach, Robert H. ..... *3*(2) 66–75
Inouye, H.: Formation of Iron Carbonyl Between a ½ Pct Mo Steel and High-Pressure Gases Containing Carbon Monoxide ..... *1*(1) 61–76
Instrumented Impace Study of Acicular Ferrite Pipeline Steels, An: McConnell, P., Hawbolt, E. B., and Cooke, R. J. ..... *3*(2) 28–41
Irradiation Growth of Zirconium Alloy Nuclear Reactor Structural Components: Northwood, D. O., and Herring, R. A. ..... *4*(4) 195–216
Irvine, A. R.: Control of Corrosion in Coal Liquification Plant Fractionation Columns ..... *3*(3) 48–55
Ito, Y.: Cold Cracking Susceptibility of Girth Welding for Arctic Grade Line Pipe ..... *4*(2) 110–113
Itoh, H.: Oxidation and Hot-Corrosion Resistant High Aluminum Austenitic Stainless Steel ..... *2*(2) 21–29
Ivey, D. G.: Hydrogen Storage Characteristics of $Zr(B_xB'_{1-x})_2$, B = Fe, Co, B' = Cr, Mn, and x = 0.4, 0.5, 0.6 ..... *4*(4) 222–228
Ivey, D. G.: Metal Hydrides for Energy Storage ..... *3*(3) 3–19

Jamieson, W. M.: Preliminary Materials Assessment for the Satellite Power System ..... *3*(1) 3–7
Johnson, D. L.: Gas-Phase Hydrogen Permeation and Diffusion in Carbon Steels as a Function of Carbon Content from 500 to 900 K ..... *1*(2) 32–40
Judkins, R. R.: Control of Corrosion in Coal Liquification Plant Fractionation Columns ..... *3*(3) 48–55

Kane, R. H.: An Evaluation of Incoloy Alloy MA 956 for High Temperature Gas Cooled Reactor Systems ..... *2*(3) 15–24
Kanninen, M. F.: Analysis of Residual Stresses in Girth Welded Type 304 Stainless Steel Pipes ..... *3*(3) 56–62
Kar, R. J.: The Design of Steels for Coal Gasification Pressure Vessels ..... *1*(1) 77–92
Kardos, Z. L.: Chemistry Control by Trapping in a Liquid Lithium System ..... *2*(4) 37–40
Keeton, A. R.: Erosive Effects in Liquid Lithium ..... *4*(2) 69–77
Keiser, J. R.: Control of Corrosion in Coal Liquification Plant Fractionation Columns ..... *3*(3) 48–55
Keiser, J. R.: Corrosion and Stress Corrosion Cracking in Coal Liquefaction Processes ..... *2*(1) 12–27
Kelly, T. J.: An Evaluation of Incoloy Alloy MA 956 for High Temperature Gas Cooled Reactor Systems ..... *2*(3) 15–24
Kennedy, C. R.: Alkali Attack on a Mullite Refractory in the Grand Forks Energy Technology Center Slagging Gasifier ..... *3*(1) 27–31
Kennedy, C. R.: Compatibility of Refractories With Simulated MHD Environment Consisting of a Molten-Coal-Slag/Alkali-Seed Mixture ..... *3*(4) 3–11
Kennedy, C. R.: Compatibility of Water-Cooled Chromia-Containing Refractories With a High Iron Oxide Coal-Ash Slag at 1575 °C ..... *3*(3) 39–47
Kennedy, C. R.: Compatibility of Water-Cooled Refractories With a Basic Coal-Ash Slag at 1500° ..... *2*(2) 11–20
Kennedy, C. R.: Thermal-Shock Damage of Refractories for Application in Slagging Coal Gasifiers ..... *4*(4) 234–239
Kennedy, C. R.: Utilization of Coal Slag from Pressurized Coal-Gasification Plants ..... *2*(1) 51–54
Keough, R. F.: Lithium Purity and Characterization ..... *2*(4) 44–49
Khare, A. K.: Analysis and Verification of Fracture Mechanics Criteria for a Large Monobloc High Pressure Vessel ..... *4*(2) 92–98
Kikuchi, H.: Fracture Toughness of Turbine Rotor Materials and Validity Criterion for K_{IC} ..... *3*(3) 20–25
Kirihara, S.: Effects of Surface Finishing on Stress Corrosion Cracking of Austenitic Stainles Steels in High Temperature Water ..... *1*(4) 30–41
Kirk, W. W.: The Influence of Corrosion and Fouling on Steam Condenser Performance ..... *1*(3) 14–33
Kiuchi, A.: Fracture Toughness of Turbine Rotor Materials and Validity Criterion for K_{IC} ..... *3*(3) 20–25
Klueh, R. L.: Mechanical Properties of a 2¼ Cr-1 Mo Steel Treatment Forging ..... *3*(3) 26–38
Koester, J. K.: Discharge and Corrosion Characteristics of Slagging Metal Electrodes for MHD Power Generators ..... *1*(2) 41–54
Komizo, Y.: Cold Cracking Susceptibility of Girth Welding for Arctic Grade Line Pipe ..... *4*(2) 110–113
Kosasih, U.: Corrosion and Hydriding Behavior of Zr-2.5 Wt. Pct Nb Alloy Nuclear Reactor Pressure Tubing ..... *4*(1) 3–15
Kosel, T. H.: Abrasive Wear in Multiphase Microstructures ..... *3*(2) 7–27
Kramer, C. M.: Corrosion of Fe Alloys in $NaNO_3$-KNO_3 at 823 K .. *1*(4) 59–65
Krause, H. H.: Observations of the Low-Temperature (400 to 910 °F) Corrosion/Erosion Behavior of Selected Alloys in an Atmospheric Pressure Fluidized-Bed Coal Combustor ..... *2*(3) 33–48
Kreis, W. W.: Utilization of Coal Slag from Pressurized Coal-Gasification Plants ..... *2*(1) 51–54
Kuniya, J.: Effects of Surface Finishing on Stress Corrosion Cracking of Austenitic Stainless Steels in High Temperature Water ..... *1*(4) 30–41

Landow, M.: Liquid Metal Embrittlement of 4145 Steel by Lead Alloys ..... *2*(4) 50–59
Langdon, R. L.: Elevated Temperature Fatigue with Hold Time in a Low Alloy Steel: A Predictive Correlation ..... *3*(1) 54–61
Laskiewicz, R. A.: Utilization of Coal Slag from Pressurized Coal-Gasification Plants ..... *2*(1) 51–54
Le May, I.: Design Parameters for High Temperature Creep and the Minimum-Commitment Method ..... *2*(2) 51–59
Levine, S. R.: Thermal Barrier Coatings: Burner Rig Hot Corrosion Test Results ..... *1*(4) 47–58
Liquid Metal Embrittlement of 4145 Steel by Lead Alloys: Landow, M., Harsolia, A., and Breyer, N. N. ..... *2*(4) 50–59
Lithium Purity and Characterization: Meadows, G. E., and Keough, R. F. ..... *2*(4) 44–49
Logsdon, W. A.: The influence of Long-Time Stress Relief Treatments on the Dynamic Fracture Toughness Properties of ASME SA508 C1 2a and ASME SA533 Cr B C1 2 Pressure Vessel Steels ..... *3*(4) 39–50

McCawley, F. X.: Corrosion Tests in Brine and Steam from the Salton Sea Area ... 3(4) 30–38
McConnell, P.: An Instrumented Impact Study of Acicular Ferrite Pipeline Steels ... 3(2) 28–41
McConnell, P.: A Strain Age Study of Acicular Ferrite X-70 Pipeline Steels ... 1(2) 25–31
McCutcheon, D. B.: The Properties of a 0.45 Pct V Steel Pipe and the Effects of Some Variation in Composition ... 4(1) 38–47
McQueen, H. J.: Selection of Materials for Flat Plate Solor Collectors ... 2(1) 65–82
Makiura, H.: Selection of Stainless Steel Tubes to Minimize Hot Corrosion in Utility Boilers ... 4(3) 160–167
Maiti, R.: The Characterization of Fracture Toughness of Two X-70 Pipeline Steels ... 2(1) 34–50
Manolescu, A. V.: Corrosion Related Problems in Fossil Firec Boilers ... 2(1) 55–64
Mar, R. W.: Protective Coatings for Alloys in Contact with Molten Drawsalt ($NaNO_3$-KNO_3) ... 4(4) 229–233
Masaoka, I.: Effects of Surface Finishing on Stress Corrosion Cracking of Austenitic Stainless Steels in High Temperature Water ... 1(4) 30–41
Masuyama, F.: Experience of High Chromium Ferritic Steel Tubes in Power Plant ... 4(2) 99–109
Materials Innovations in the Development of Energy Storage Systems: Swisher, J. H., and Myles, K. M. ... 1(1) 5–19
Materials-Related Design Issues in the Solor Central Receiver Pilot Plant: Swearengen, J. C. and Robinson, S. L. ... 1(3) 60–70
Materials Selection for Gas Cooled and Fusion Reactor Applications: Roberts, D. I., Rosenwasser, S. N., and Watson, J. F. ... 3(2) 54–65
Matlock, D. K.: A Mössbauer and Weight-Loss Study of a Lithium Corroded Austenitic Stainless Steel ... 2(4) 34–36
Matlock, D. K.: The Effect of Liquid Lithium on Fatigue Crack Propagation in 304L Stainless Steel at Elevated Temperatures ... 2(4) 26–33
Matlock, D. K.: The Effects of Liquid Metal Embrittlement on High Temperature Fatigue of 2.25 Cr-1 Mo Steel in Liquid Lithium ... 4(4) 187–194
Matlock, D. K.: The Nature of the Ferrite Layer on Lithium Corroded Type 304L Austenitic Stainless Steel ... 4(2) 84–91
Mauer, F. A.: Chemical Degradation of Castable Refractories in Coal Gasification Process Environments ... 3(1) 32–42
Maurer, J. R.: Controlling Corrosion Problems with the New High Technology Stainless Steels ... 1(1) 41–51
Mayer, P.: Corrosion Related Problems in Fossil Fired Boilers ... 2(1) 55–64
Meadows, G. E.: Lithium Purity and Characterization ... 2(4) 44–49
Mechanical Properties of a 2 ¼ Cr-1 Mo Steel Tubesheet Forging: Klueh, R. L., and Griffith, J. L. ... 3(3) 26–38
Metal Hydrides for Energy Storage: Ivey, D. G., Chittim, R. I., Chittim, K. J., and Northwood, D. O. ... 3(3) 3–19
Metallic Corrosion in Simulated Low-Btu Coal-Gasification Atmospheres: Tiearney, T. C., Jr., and Natesan, K. ... 1(4) 13–29
Metallurgical Improvements for Enhanced Stress Corrosion Performance of Light Water Reactor Structural Materials: Roberts, J. T. A. ... 4(3) 142–153
Michels, H. T.: The Influence of Corrosion and Fouling on Steam Condenser Performance ... 1(3) 14–33
Miller, A. K.: Elevated Temperature Fatigue with Hold Time in a Low Alloy Steel: A Predictive Correlation ... 3(1) 54–61
Moles, M. D. C.: Testing Austenite-Ferrite Superheater Tube Transition Welds Under Combined "Two-Shifting" and Bending Stresses ... 3(1) 19–26
Monroe, R.: Ignition and Combustion of Ferrous Metals in High Pressure, High Velocity, Gaseous Oxygen ... 1(1) 61–76
Morris, J. W.: A New High Strength Steel for Generator Retaining Ring Application ... 3(2) 3–6
Mössbauer and Weight-Loss Study of a Lithium Corroded Austenitic Stainless Steel, A: Steinmeyer, P. A., Williamson, D. L., Matlock, D. K., and Olson, D. L. ... 2(4) 34–36
Mraz, G. J.: Analysis and Verification of Fracture Mechanics Criteria for a Large Monobloc High Pressure Vessel ... 4(2) 92–98
Mueller, R. A.: Pitting and Crevice Corrosion in ERW Carbon Steel Heat Exchanger Tubes ... 2(2) 60–64
Myles, K. M.: Materials Innovations in the Development of Energy Storage Systems ... 1(1) 5–19

Nadeau, J. S.: The Characterization of Fracture Toughness of Two X-70 Pipeline Steels ... 2(1) 34–50
Nakanishi, M.: Cold Cracking Susceptibility of Girth Welding for Arctic Grade Line Pipe ... 4(2) 110–113
Natesan, K.: Metallic Corrosion in Simulated Low-Btu Coal-Gasification Atmospheres ... 1(4) 13–29
Nature of the Ferrite Layer on Lithium Corroded Type 304L Austenitic Stainless Steel, The: Steinmeyer, P. A., Olson, D. L., and Matlock, D. K. ... 4(2) 84–91
New High Strength Steel for Generator Retaining Ring Application, A: Viswanathan, R., Morris, J. W., and Chang, K. M. ... 3(2) 3–6
Northwood, D. O.: Corrosion and Hydriding Behavior of Zr-2.5 Wt. Pct Nb Alloy Nuclear Reactor Pressure Tubing ... 4(1) 3–15
Northwood, D. O.: Hydrogen Storage Characteristics of $Zr(B_xB'_{1-x})_2$, B = Fe, Co, B' = Cr, Mn, and x=0.4, 0.5, 0.6 ... 4(4) 222–228
Northwood, D. O.: Irradiation Growth of Zirconium Alloy Nuclear Reactor Structural Components ... 4(4) 195–216
Northwood, D. O.: Metal Hydrides for Energy Storage ... 3(3) 3–19

Observations of the Low-Temperature (400 to 910 °F) Corrosion/Erosion Behavior of Selected Alloys in an Atmospheric Pressure Fluidized-Bed Coal Combustor: Wright, I. G., Krause, H. H., and Carlton, H. E. ... 2(3) 33–48
Ogawa, T.: Oxidation and Hot-Corrosion Resistant High Aluminum Austenitic Stainless Steel ... 2(2) 21–29
Olson, D. L.: A Mössbauer and Weight-Loss Study of a Lithium Corroded Austenitic Stainless Steel ... 2(4) 34–36
Olson, D. L.: The Effect of Liquid Lithium on Fatigue Crack Propagation in 304L Stainless Steel at Elevated Temperatures ... 2(4) 26–33
Olson, D. L.: The Effects of Liquid Metal Embrittlement on High Temperature Fatigue of 2.25 Cr-1 Mo Steel in Liquid Lithium ... 4(4) 187–194
Olson, D. L.: The Nature of the Ferrite Layer on Lithium Corroded Type 304L Austenitic Stainless Steel ... 4(2) 84–91
Otoguro, Y.: Oxidation and Hot-Corrosion Resistant High Aluminum Austenitic Stainless Steel ... 2(2) 21–29
Overview of Intergranular Stress Corrosion Cracking in BWRs, An: Fox, M. ... 1(3) 3–13
Oxidation and Hot-Corrosion Risistant High Aluminum Austenitic Stainless Steel: Zaizen, T., Yamazaki, T., Otoguro, Y., Ogawa, T., Itoh, H., and Yamanaka, M. ... 2(2) 21–29

Page, J. P.: Shot Peening to Prevent the Corrosion Cracking of Austenitic Stainless Steels ... 1(1) 20–32
Park, J. W.: Reducibility and Surface Area of Coprecipitated Supported Nickel Methanation Catalysts ... 2(1) 28–33
Parker, E. R.: The Design of Steels for Coal Gasification Pressure Vessels ... 1(1) 77–92
Pears, C. D.: Ignition and Combustion of Ferrous Metals in High Pressure, High Velocity, Gaseous Oxygen ... 1(1) 61–76
Performance of Stainless Steel Tubes in Condensers Associated with Cooling Towers: Rios, J. and Shor, W. W. ... 4(3) 131–135
Pinchback, T. R.: Surface Film Composition and Electro-chemical Properties of Mo Bearing Ni-Cr-Fe and Fe-Ni-Cr Alloys ... 1(2) 55–61
Pitting and Crevice Corrosion in ERW Carbon Steel Heat Exchanger Tubes: Mueller, R. A. ... 2(2) 60–64
Pocock, F. J.: Corrosion and Contaminant Control Concerns in Central Station Steam Supply Systems ... 1(2) 3–14
Poeppel, R. B.: Utilization of Coal Slag from Pressurized Coal-Gasification Plants ... 2(1) 51–54
Prediction of Residual Stress in Heavy Plate Butt Welds, A: Ruud, C. O., and Dimascio, P. S. ... 3(1) 62–65
Preliminary Materials Assessment for the Satellite Power System: Teeter, R. R. and Jamieson, W. M. ... 3(1) 3–7
Prevention of Corrosion-Related Failures in Condensers and Feedwater Heaters: Beavers, J. A., Agrawal, A. K., and Berry, W. E. ... 4(3) 168–181
Properties of a 0.45 Pct V Steel Pipe and the Effects of Some Variation in Composition, The: Sage, A. M., Dewsnap, R. F., and McCutcheon, D. B. ... 4(1) 38–47
Properties of Refractories After Exposure to High Pressure Gases: IV—Dependence Upon CO/Steam Ration: Fakhr, Rahman, S. F., and Day, D. E. ... 3(1) 8–18
Properties of Refractories After Exposure to High Pressure Gases: II—Effect of Exposure Time: Rahman, S. F., and Day, D. E. ... 1(4) 3–12
Properties of Refractories After Exposure to High Pressure Gases: III—Effect of Percent Saturation: Fakhr, A., and Day, D. E. ... 2(3) 3–14
Properties of Refractories After Exposure to High Pressure Gases: V—Effect of Repeated Boehmite Formation and Decomposition: Rahman, S. F., and Day, D. E. ... 3(4) 22–29
Properties of Refractories After Exposure to High Pressure Gases: I—Survey of Commercial Products: Rahman, S. F., and Day, D. E. ... 1(3) 34–44
Properties of Refractories after Exposure to High Pressure Gases: VI—Vapor vs Liquid Contact: Fahr, A., Rahman, S. F., and Day, D. E. ... 4(1) 48–57
Protective Coatings for Alloys in Contact with Molten Drawsalt ($NaNO_3$-KNO_3): Carling, R. W., Bradshaw, R. W., and Mar, R. W. ... 4(4) 229–233

Rahman, S. F.: Properties of Refractories After Exposure to High Pressure Gases: IV—Dependence Upon CO/Steam Ratio ... 3(1) 8–18
Rahman, S. F.: Properties of Refractories After Exposure to High Pressure Gases: V—Effect of Repeated Boehmite Formation and Decomposition ... 3(4) 22–29
Rahman, S. F.: Properties of Refractories After Exposure to High Pressure Gases: II—Effect of Exposure Time ... 1(4) 3–12
Rahman, S. F.: Properties of Refractories After Exposure to High Pressure Gases: I—Survey of Commercial Products ... 1(3) 34–44
Rahman, S. F.: Properties of Refractories After Exposure to High Pressure Gasses: VI—Vapor vs Liquid Contact ... 4(1) 48–57
Recent Attempts of Improving the Mechanical Properties of AISI 4340 Steel by Control of Microstructure—A Brief Review: Hebsur, M. G. ... 4(1) 28–37

Recent Developments in Abrasion Resistant High Chromium-Molybdenum Irons, Low-Alloy Manganese Steels and Alloyed Nodular Irons of Importance in the Extraction and Utilization of Energy Resources: Dodd, J. ..... 2(2) 65–76
Redman, J. D.: Tritium Permeability of Nickel Plated Stainless Steel 21-6-9 and of Gold Plated Aluminum ..... 4(4) 217–221
Redman, J. D.: Tritium Permeation Through Clean Construction Alloys ..... 1(3) 55–59
Reducibility and Surface Area of Coprecipitated Supported Nickel Methanation Catalysts: Reucroft, P. J., and Park, J. W. ..... 2(1) 28–33
Requirements for Control of Ductile Fracture Propagation in Large-Diameter Gas Transmission Pipelines: Rothwell, A. B., Urednicek, M., and Gilroy-Scott, A. ..... 2(2) 30–40
Reucroft, P. J.: Reducibility and Surface Area of Coprecipitated Supported Nickel Methanation Catalysts ..... 2(1) 28–33
Rios, J.: Performance of Stainless Steel Tubes in Condensers Associated with Cooling Towers ..... 4(3) 131–135
Robbins, C. R.: Chemical Degradation of Castable Refractories in Coal Gasification Process Environments ..... 3(1) 32–42
Roberge, R.: Description and Performance of High Voltage Synthetic Insulators ..... 2(3) 58–65
Roberts, D. I.: Materials Selection for Gas Cooled and Fusion Reactor Applications ..... 3(2) 54–65
Roberts, J. T. A.: Metallurgical Improvements for Enhanced Stress Corrosion Performance of Light Water Reactor Structural Materials ..... 4(3) 142–153
Robinson, M. L.: An Evaluation of Incoloy Alloy MA 956 for High Temperature Gas Cooled Reactor Systems ..... 2(3) 15–24
Robinson, S. L.: Materials-Related Design Issues in the Solar Central Receiver Pilot Plant ..... 1(3) 60–70
Rockett, Thomas: Infrared and Raman Spectroscopic Analysis of Corrosion Products on Metals Exposed to Hydrogen Sulfide at Elevated Temperatures ..... 3(2) 66–75
Rosenwasser, S. N.: Materials Selection for Gas Cooled and Fusion Reactor Applications ..... 3(2) 54–65
Rothwell, A. B.: Requirements for Control of Ductile Fracture Propagation in Large-Diameter Gas Transmission Pipelines ..... 2(2) 30–40
Ruud, C. O.: A Prediction of Residual Stress in Heavy Plate Butt Welds ..... 3(1) 62–65
Ryoichi, S.: Effects of Surface Finishing on Stress Corrosion Cracking of Austenitic Stainless Steels in High Temperature Water ..... 1(4) 30–41

Saegusa, F.: Corrosion Resistance of Superalloys in the Temperature Range 800 °F (430–700 °C) ..... 4(1) 16–27
Sage, A. M.: The Properties of a 0.45 Pct V Steel Pipe and the Effects of Some Variation in Composition ..... 4(1) 38–47
Scarberry, R. C.: Corrosion Testing of INCONEL® Alloy 690 for PWR Steam Generators ..... 4(3) 125–130
Selection of Materials for Flat Plate Solor Collectors: McQueen, H. J., Shapiro, M. M., and Feldman, D. ..... 2(1) 65–82
Selection of Stainless Steel Tubes to Minimize Hot Corrosion in Utility Boilers: Fujikawa, H., and Makiura, H. ..... 4(3) 160–167
Shapiro, M. M.: Selection of Materials for Flat Plate Solor Collectors ..... 2(1) 65–82
Shih, T. T.: Flaw Tolerance of Elevated Temperature Components Designed to ASME Code Case 1592: Part I — Sustained Loading ..... 1(3) 45–54
Shor, W. W.: Performance of Stainless Steel Tubes in Condensers Associated with Cooling Towers ..... 4(3) 131–135
Shores, D. A.: Corrosion Resistance of Superalloys in the Temperature Range 800 °F (430–700 °C) ..... 4(1) 16–27
Shot Peening to Prevent the Corrosion Cracking of Austenitic Stainless Steels: Friske, W. H., and Page, J. P. ..... 1(1) 20–32
Simulating of Hot Corrosion Behavior of Gas Turbine Materials by Laboratory Tests, The: El-Dahsan, M. E. ..... 2(3) 49–57
Singh, R. N.: Compatibility of Refractories with Simulated MHD Environment Consisting of a Molten-Coal-Slag/Alkali-Seed Mixture ..... 3(4) 3–11
Smyrl, W. H.: Corrosion of Fe Alloys in $NaNO_3$-KNO_3 at 823 K ..... 1(4) 59–65
Spencer, R. E.: The Effects of Liquid Metal Embrittlement on High Temperature Fatigue of 2.25 Cr-1 Mo Steel in Liquid Lithium ..... 4(4) 187–194
Stecura, S.: Thermal Barrier Coatings: Burner Rig Hot Corrosion Test Results ..... 1(4) 47–58
Steels for the Gas and Oil Industry: Golovanenko, S. A. ..... 1(4) 66–78
Steinmeyer, P. A.: A Mössbauer and Weight-Loss Study of Lithium Corroded Austenitic Stainless Steel ..... 2(4) 34–36
Steinmeyer, P. A.: The Nature of the Ferrite Layer on Lithium Corroded Type 304L Austenitic Stainless Steel ..... 4(2) 84–91
Stoltz, R. E.: Alloy Selection for Sulfidation-Oxidation Resistance in Coal Gasification Environments ..... 2(1) 3–11
Stowell, V. A.: Cavitation Erosion of Hydraulic Turbine Steels Containing 0.2 pct Carbon and 1 pct Mn ..... 4(1) 58–63
Strain Age Study of Acicular Ferrite X-70 Pipeline Steels, A: McConnell, P. and Hawbold, E. B. ..... 1(2) 25–31
Strain Aging and Formability of HSLA Linepipe Steels: Vitovec, F. H. ..... 2(1) 83–88
Surface Film Composition and Electrochemical Properties of Mo Bearing Ni-Cr-Fe and Fe-Ni-Cr Alloys: Clough, S. P. and Pinchback, T. R. ..... 1(2) 55–61
Sutula, R. A.: Electrochemical Measurements on Lightweight Composite Nickel-Graphite Battery Electrodes ..... 2(3) 66–71
Suzuki, A.: Fracture Toughness of Turbine Rotor Materials and Validity Criterion for K_{IC} ..... 3(3) 20–25
Swearengen, J. C.: Materials-Related Design Issues in the Solar Central Receiver Pilot Plant ..... 1(3) 60–70
Swisher, J. H.: Materials Innovations in the Development of Energy Storage Systems ..... 1(1) 5–19

Teeter, R. R.: Preliminary Materials Assessment for the Satellite Power System ..... 3(1) 3–7
Testing Austenitic-Ferrite Superheater Tube Transition Welds Under Combined "Two-Shifting" and Bending Stresses: Moles, M. D. C., Tinkler, M. J. and Westwood, H. J. ..... 3(1) 19–26
Thermal Barrier Coatings: Burner Rig Hot Corrosion Test Results: Hodge, P. E., Stecura, S., Gedwill, M. A., Zaplatynsky, I., and Levine, S. R. ..... 1(4) 47–58
Thermal-Shock Damage of Refractories for Application in Slagging Coal Gasifiers: Bandyopadhyay, G., Chen, J., Kennedy, C. R., and Diercks, D. R. ..... 4(4) 234–239
Thermomechanical Processing of Hydro-Turbine Steels: Akhtar, A. and Brodie, N. W. ..... 2(3) 25–32
Tiearney, T. C.: Metallic Corrosion in Simulated Low-Btu Coal-Gasification Atmospheres ..... 1(4) 13–29
Tinkler, M. J.: Testing Austenitic-Ferrite Superheater Tube Transition Welds Under Combined "Two-Shifting" and Bending Stresses ..... 3(1) 19–26
Töpler, J.: Use of Hydrides in Motor Vehicles ..... 2(2) 3–10
Tortorelli, P. F.: Compatibility of Fe-Cr-Mo Alloys with Static Lithium ..... 2(4) 5–15
Tortorelli, P. F.: Compatibility of Stainless Steel with Pb-17 At. Pct Li ..... 4(2) 78–83
Tritium Permeability of Nickel Plated Stainless Steel 21-6-9 and of Gold Plated Aluminum: Bell, J. T., and Redman, J. D. ..... 4(4) 217–221
Tritium Permeation Through Clean Construction Alloys: Bell, J. T., Redman, J. D., and Bittner, H. F. ..... 1(3) 55–59
Tsu, T. C.: Erosive Effect in Liquid Lithium ..... 4(2) 69–77
Tuthill, A. H.: The Influence of Corrosion and Fouling on Steam Condenser Performance ..... 1(3) 14–33

Urednicek, M.: Requirements for Control of Ductile Fracture Propagation in Large-Diameter Gas Transmission Pipelines ..... 2(2) 30–40
Use of Hydrides in Motor Vehicles: Töpler, J., Bernauer, O., and Buchner, H. ..... 2(2) 3–10
Use of Type 439L Stainless Steel Tubing in Moisture Separator/Reheaters: Gibson, J. N. ..... 4(3) 135–141
Utilization of Coal Slag from Pressurized Coal-Gasification Plants: Kennedy, C. R., Kreis, W. W., Poeppel, R. B., and Laskiewicz, R. A. ..... 2(1) 51–54

Vesely, E. J.: High Pressure/High Temperature Hydrogen Permeability in Candidate Stirling Engine Alloys ..... 3(4) 12–21
Viswanathan, R.: A New High Strength Steel for Generator Retaining Ring Application ..... 3(2) 3–6
Vitovec, F. H.: Strain Aging and Formability of HSLA Linepipe Steels ..... 2(1) 83–88

Watson, J. F.: Materials Selection for Gas Cooled and Fusion Reactor Applications ..... 3(2) 54–65
Westwood, H. J.: Corrosion Related Problems in Fossil Fired Boilers ..... 2(1) 12–27
Westwood, H. J.: Testing Austenitic-Ferrite Superheater Tube Transition Welds Under Combined "Two-Shifting" and Bending Stresses ..... 3(1) 19–26
White, W. E.: Design Parameters for High Temperature Creep and the Minimum-Commitment Method ..... 2(2) 51–59
Williamson, D. L.: A Mössbauer and Weight-Loss Study of a Lithium Corroded Austenitic Stainless Steel ..... 2(4) 34–36
Wren, J. E.: Ignition and Combustion of Ferrous Metals in High Pressure, High Velocity, Gaseous Oxygen ..... 1(1) 61–76
Wright, I. G.: Observations of the Low-Temperature (400 to 910 °F) Corrosion/Erosion Behavior of Selected Alloys in an Atmospheric Pressure Fluidized-Bed Coal Combustor ..... 2(3) 33–48

Yamanaka, M.: Oxidation and Hot-Corrosion Resistant High Aluminum Austenitic Stainless Steel ..... 2(2) 21–29
Yamazaki, T.: Oxidation and Hot-Corrosion Resistant High Aluminum Austenitic Stainless Steel ..... 2(2) 21–29
Yonco, R. M.: Compatibility of Fe-Cr-Mo Alloys with Static Lithium ..... 2(4) 5–15
Yoshikawa, K.: Experience of High Chromium Ferritic Steel Tubes in Power Plant ..... 4(2) 99–109
Yukitoshi, T.: Experience of High Chromium Ferritic Steel Tubes in Power Plant ..... 4(2) 99–109

Zackay, V. F.: The Design of Steels for Coal Gasification Pressure Vessels ..... 1(1) 77–92
Zaizen, T.: Oxidation and Hot-Corrosion Resistant High Aluminum Austenitic Stainless Steel ..... 2(2) 21–29
Zaplatynsky, I.: Thermal Barrier Coatings: Burn Rig Hot Corrosion Test Results ..... 1(4) 47–58